





▲ Perspective




▲ Perspective





▲ Perspective



▲ Top View



▲ Left View



▲ Front View


✓ 1) Attach printed calendered vinyl.

- Attach to the wall after printing on calendered vinyl.
- Install in 1-meter sections.
- For self-installation, all attached materials must be removed after the event.




✓ 2) Scroll Bar Installation

- Use S-hooks for installation; they can be retrieved after the event.



For Printing & Installation :
ai File Size: 970 × 2390 mm



(1) Scroll Bar Size

1M = 950*2380mm
2M = 1940*2380mm
3M = 2900*2380mm
4M = 3900*2380mm

Screws, staples, thumbtacks, and double-sided tape are not permitted on standard booth walls. After the event, please ensure that all foreign substances are removed from the walls.

Failure to remove these materials will result in a repair fee of 100,000 KRW per panel.


✓ The exhibition equipment materials (plywood) used for booth construction are custom-made fire-resistant plywood and are reusable items used in other exhibitions as well. This notice is to prevent any potential damage to the fire-resistant plywood during booth interior work.

1) The standard booth is made of 2T plywood, and the use of screws, staples, or thumbtacks on this plywood is not allowed.

If attachment to the plywood is necessary, please first apply residue-free double-sided tape or easily removable line tape to the plywood before using double-sided tape on top. Additionally, after the event, please ensure that all attached double-sided tape, line tape, and any other foreign substances are completely removed.

2) When attaching printed stickers, please ensure that only easily removable materials are used. Other materials, such as Yupo paper and similar types, cannot be removed after attachment. If the plywood is damaged, a repair fee of 100,000 KRW per sheet will be charged.

3) When installing panels, frames, etc., using S-hooks, wire hooks, or fishing lines is recommended for easy installation and removal.



Double-Sided Tape



Foam double-sided tape is not allowed.



Screws, staples, and thumbtacks are not allowed.



Drilling is not allowed.